



Pearson

# Mark Scheme

## Mock Set 3

Pearson Edexcel GCSE Mathematics (1MA1)  
Foundation Tier (Calculator)  
Paper 3F

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Publications Code

All the material in this publication is copyright

© Pearson Education Ltd 2017

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1** All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

- 2** All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

**Questions where working is not required:** In general, the correct answer should be given full marks.

**Questions that specifically require working:** In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3** **Crossed out work**

This should be marked **unless** the candidate has replaced it with an alternative response.

- 4** **Choice of method**

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

- 5** **Incorrect method**

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

**6 Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**7 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg incorrect algebraic simplification).

**8 Probability**

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**9 Linear equations**

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

**10 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.

### Guidance on the use of abbreviations within this mark scheme

<b>M</b>	method mark awarded for a correct method or partial method
<b>P</b>	process mark awarded for a correct process as part of a problem solving question
<b>A</b>	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
<b>C</b>	communication mark
<b>B</b>	unconditional accuracy mark (no method needed)
<b>oe</b>	or equivalent
<b>cao</b>	correct answer only
<b>ft</b>	follow through (when appropriate as per mark scheme)
<b>sc</b>	special case
<b>dep</b>	dependent (on a previous mark)
<b>indep</b>	independent
<b>awrt</b>	answer which rounds to
<b>isw</b>	ignore subsequent working

### Foundation tier Paper 3F (Calculator): Mock (Set 3) Mark Scheme

Question	Working	Answer	Mark	Notes
1		$\frac{2}{5}$	B1	or equivalent fraction
2		3.5	B1	for 3.5 oe
3		$\frac{9}{30}$	B1	cao
4		-12	B1	cao
5 (a)		20	B1	cao
(b)		09 12	B1	or equivalent time given but using correct notation
(c)		08 53	B1	or equivalent time given but using correct notation
6		145	M1 A1	for $319 \div 2.2$ cao

Question	Working	Answer	Mark	Notes
7		Steve with correct figures	<p>P1</p> <p>P1</p> <p>P1</p> <p>C1</p>	<p>for a process to find the number of green apples for one person, e.g. <math>264 \div 6 (= 44)</math> <b>or</b> <math>0.28 \times 150 (= 42)</math> <b>or</b> <math>0.15 \times 340 (= 51)</math></p> <p>for a process that would lead to the number of green apples for two people, e.g. two of: <math>264 \div 6 (= 44)</math> <b>or</b> <math>0.28 \times 150 (= 42)</math> <b>or</b> <math>0.15 \times 340 (= 51)</math></p> <p>for a process that would lead to the number of green apples for all three people, e.g. <math>264 \div 6 (= 44)</math> <b>and</b> <math>0.28 \times 150 (= 42)</math> <b>and</b> <math>0.15 \times 340 (= 51)</math></p> <p>44, 42, 51 with a correct conclusion</p>
8	$\text{Ath} = \frac{13}{45} \times 360 = 104^\circ$ $\text{Cyc} = \frac{17}{45} \times 360 = 136^\circ$ $\text{Swi} = \frac{8}{45} \times 360 = 64^\circ$ $\text{Gym} = \frac{7}{45} \times 360 = 56^\circ$	Correct pie chart	<p>M1</p> <p>A1</p> <p>B1</p>	<p>a method shown to calculate one angle, e.g. <math>\frac{13}{45} \times 360</math> <b>or</b> <math>\frac{17}{45} \times 360</math> <b>or</b> <math>\frac{8}{45} \times 360</math> <b>or</b> <math>\frac{7}{45} \times 360</math> <b>or</b> 1 correct angle drawn out of 4 sectors</p> <p>All angles drawn correctly <math>\pm 2^\circ</math></p> <p>Sectors labelled with sport (dependent on at least 2 angles drawn correctly and exactly 4 sectors)</p>

Question	Working	Answer	Mark	Notes
9 (a)		43	B1	cao
(b)		-17	B1	cao
(c)		12	M1 A1	for $(79 - 7) \div 6$ ; condone missing brackets cao
10		4.14	P1 P1 P1 A1	for a first step to the process, e.g. to find the cost of 100 g of strawberries, e.g. $4.10 \div 5 (= 0.82)$ , <b>or</b> for a process to find 200 g of raspberries and 1.5 kg of strawberries, e.g. $7.46 \times 5 (= 37.30)$ , <b>or</b> 1 kg of strawberries cost $4.10 \times 2 (= 8.10)$  P1 for a process to find the cost of 400 g of raspberries, e.g. $7.46 - (3 \times (4.10 \div 5)) (= 5)$ <b>or</b> process to find 200 g of both, e.g. $(7.46 \times 5) + 4.10 (= 41.40)$  P1 for a complete process to find the cost of 200 g of both, e.g. $(“5” \div 4) \times 2 + “0.82” \times 2$ <b>or</b> $“41.10” \div 10$ cao



Question	Working	Answer	Mark	Notes
11		Translation $\begin{pmatrix} 4 \\ 2 \end{pmatrix}$	B1  B1	for translation  for $\begin{pmatrix} 4 \\ 2 \end{pmatrix}$  Award B0 for evidence shown of more than one type of transformation
12 (i)		$2 \times (7^2 - 2) = 94$	B1	for brackets correctly placed
(ii)		$16 \div (2 + 6) + 2 = 4$	B1	for brackets correctly placed
13		187	M1  M1  A1	for a method to find a missing length, e.g. $15 - 7 (= 8)$ <b>or</b> $22 - 9 (= 13)$ (may be seen on the diagram)  for a method to find the area of the triangle, e.g. $((15 - 7) \times (22 - 9)) \div 2 (= 52)$ <b>or</b> to find the area of the rectangle, e.g. $9 \times 15 (= 135)$  cao

Question	Working	Answer	Mark	Notes																
14	<table border="1"> <tr> <td><math>x</math></td> <td>-3</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td><math>y</math></td> <td>-8</td> <td>-6</td> <td>-4</td> <td>-2</td> <td>0</td> <td>2</td> <td>4</td> </tr> </table>	$x$	-3	-2	-1	0	1	2	3	$y$	-8	-6	-4	-2	0	2	4	$y = 2x - 2$ drawn	<p>B3</p> <p>[B2]</p> <p>[B1]</p>	<p>for a correct line between <math>x = -3</math> and <math>x = 3</math></p> <p><b>OR</b></p> <p>[for a correct straight line segment through at least 3 of <math>(-3, -8)</math>, <math>(-2, -6)</math>, <math>(-1, -4)</math>, <math>(0, -2)</math>, <math>(1, 0)</math>, <math>(2, 2)</math>, <math>(3, 4)</math>, <b>or</b> for all of these points plotted but not joined <b>or</b> for a line drawn with a positive gradient through <math>(0, -2)</math> <b>and</b> clear intention to use of a gradient of 2, e.g. line through <math>(0, -2)</math> and <math>(0.5, -1)</math>]</p> <p><b>OR</b></p> <p>[for at least 2 correct points stated or plotted <b>or</b> for a line drawn with a positive gradient through <math>(0, 7)</math> <b>or</b> a line with gradient 2]</p>
$x$	-3	-2	-1	0	1	2	3													
$y$	-8	-6	-4	-2	0	2	4													
15 (a)		$19.0\dot{6}$	<p>M1</p> <p>A1</p>	<p>for 7.84 <b>or</b> 12.2 <b>or</b> 1.38</p> <p>for 19.066 (66666...) or 19.06 with some indication that the 6 is recurring</p>																
(b)		19.1	B1	ft from part (a) providing to at least 2 decimal places																
16 (a)		2	B1	cao																
(b)		66	<p>M1</p> <p>A1</p>	<p>for method for calculating at least 4 values <math>fx</math> values correctly</p> <p>cao</p>																

Question	Working	Answer	Mark	Notes
17 (a)		$2a^2 + 14a$	B1	cao
(b)		$7(2b - 1)$	B1	cao
(c)		13	M1 A1	for correct expansion of the bracket, <b>or</b> for intention to divide both sides by 9 as the first step cao
(d)		$12y^5$	B1	cao
18		334.4(0)	P1 P1 A1	for process to find 12% of 5700 <b>or</b> 88% of 5700, e.g. $0.12 \times 5700 (= 684)$ <b>or</b> $0.88 \times 5700 (= 5016)$ (dep on P1) for a complete process to find the value of each payment, e.g. $(5700 - "684") \div 15$ or $"5016" \div 15$ cao; condone missing 0

Question	Working	Answer	Mark	Notes
19 (a)		$2^3 \times 3 \times 7$	M1 M1 A1	for continual prime factorisation (at least two consecutive steps correct) <b>or</b> for at least two stages of a factor tree correct  for a fully correct factor tree <b>or</b> list of 2, 2, 2, 3, 7  for $2 \times 2 \times 2 \times 3 \times 7$ <b>or</b> $2^3 \times 3 \times 7$
(b)		12	M1 A1	for attempt to list factors of 168 <b>and</b> 180 with at least 4 of each correct and none incorrect <b>or</b> correct prime factorisation of 180, e.g. $2 \times 2 \times 3 \times 3 \times 5$ or $2^2 \times 3^2 \times 5$  cao
20	$36.4 \div \frac{48}{60} = 45.5$  $65.2 \div \frac{85}{60} = 46.0(2352941\dots)$	Geraldine with correct figures	P1 P1 C1	for a process using speed, e.g. distance/time $36.4 \div 48$ <b>or</b> $65.2 \div 85$ <b>or</b> $36.4 \div (48 \div 60)$ <b>or</b> $65.2 \div (85 \div 60)$  for process to find one correct speed, e.g. $36.4 \div (48 \div 60)$ <b>or</b> $65.2 \div (85 \div 60)$  for Geraldine with correct figures, e.g. 45.5 <b>and</b> 46.0(...)

Question	Working	Answer	Mark	Notes
21		Correct region	B1 B1 B1 C1	for an arc of radius 4.5 cm centred on $C$ for a correct angle bisector drawn at angle $ABC$ for a line drawn 2 cm from $AB$ for the correct region shaded; accept any consistent shading
22 (a)		$\frac{1}{11}, \frac{3}{11}, \frac{7}{11}$	M1 A1	for a denominator of 11 or for one correct probability oe
(b)		249 or 250	P1 A1	for $68 \div \frac{3}{11}$ oe, ft from part (a), accept rounded integer answers for 249 or 250, ft from part (a), accept rounded integer answers
23 (a)		Evaluation	C1	for error correctly identified, can be in the working, e.g. circling
(b)		Assessment	C1	for statement that Josh should be looking for two values that add to $-6$ (not 6)
(c)		Evaluation	C1	for indication that the $y$ intercept should be negative not positive

Question	Working	Answer	Mark	Notes
24		33.7	P1 P1 P1 A1	for starting to use Pythagoras, e.g. $4.5^2 + 7^2$ for complete process to find $KM$ , e.g. $\sqrt{4.5^2 + 7^2}$ (= 8.321658489) (dep P1) for a correct trigonometry statement, e.g. $\sin KLM = "8.32" \dots \div 15$ for answer in the range 33.6 to 33.7
25		253484.16	M1 M1 A1	for a method to find the value at the end of year 1, e.g. $235\,000 \times 0.96$ (= 225 600) (dep M1) for a complete method to find the value at the end of 3 years, e.g. " $225\,600$ " $\times 1.06^2$ cao
26 (a)		26730	B1	cao
(b)		$7.04 \times 10^{-2}$	B1	cao
(c)		$1.5 \times 10^8$	M1 A1	for 150 000 000 or $1.5 \times 10^n$ where $n \neq 8$ cao

Question	Working	Answer	Mark	Notes
27		B D A C	B2 (B1)	for all four correctly matched (for 2 correctly matched)